

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name **Stobielast S 031.00**

- Article number: 2200310010002

- UFI: 7VFD-T0X1-2005-GGCS

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

- Application of the substance / the mixture Component of the polyurethane system

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Stockmeier Urethanes GmbH & Co. KG

Im Hengstfeld 15

32657 Lemgo

Deutschland / Germany

Fon: ++49 5261 660 68 0

Fax: ++49 5261 660 68 29

Email: urethanes.ger@stockmeier.com

- Informing department: Product safety department

- 1.4 Emergency telephone number:

24-h-Emergency-Contact-No. (Contact-ID: SU):

Tel. +49 700 24 112 112 (SU)

Tel. +1 872 5888271 (SU)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labelling:

diphenylmethanediisocyanate, isomeres and homologues

(Contd. on page 2)

EUE

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name **Stobielast S 031.00**

(Contd. of page 1)

- Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information:

Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

- 2.3 Other hazards

For their own protection, persons who suffer from hypersensitivity of the respiratory tract (e.g. asthmatics and chronic bronchitis sufferers) should avoid handling this product.

- Results of PBT and vPvB assessment- **PBT:** Not applicable.- **vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****- 3.2 Mixtures**- **Description:** Mixture of the substances listed below with harmless additions**- Dangerous components:**

CAS: 9016-87-9 Polymer Index number: 615-005-00-9	diphenylmethanediisocyanate, isomers and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	25-50%
---	--	--------

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

EUE

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name Stobielast S 031.00

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General advice:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

- After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

Remove contaminated clothing immediately. Wash affected areas with plenty of water und soap. If irritation continues, contact a doctor.

- After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

In case of persistent symptoms consult doctor.

- **After swallowing** Do not induce vomiting; instantly call for medical help.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- **Suitable extinguishing agents** Alcohol-resistant foam

- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

Nitrogen oxides (NO_x)

carbon monoxide (CO)

Hydrogen cyanide (HCN)

- 5.3 Advice for firefighters

- Protective equipment:

Put on breathing apparatus.

See section 8.

Wear full protective suit with self-contained breathing apparatus.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

Put on breathing apparatus.

- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Transfer to waste container. Keep damp in the open air in a safe place (CO₂-formation!) for a few days; the waste can than be disposed of on approved landfill or a special refuse dump. Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name **Stobielast S 031.00**

(Contd. of page 3)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Keep containers tightly closed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Exhaust ventilation required during spraying or at raw material temperatures above 40 °C.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage

- **Requirements to be met by storerooms and containers:** Prevent any penetration into the ground.

- **Information about storage in one common storage facility:** Store away from foodstuffs.

- **Further information about storage conditions:** Keep container tightly sealed.

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- **Additional information about design of technical systems:** No further data; see item 7.

- Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls

- Personal protective equipment

- General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

- Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

- **Recommended filter device for short term use:** Combination filter A-P2

- Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.5 mm

- Penetration time of glove material

Pay attention to information supplied by the manufacturer of gloves (permeation rate and penetration times) just as to workplace-specific conditions (mechanical stress, wearing duration).

- **Eye protection:** Tightly sealed safety glasses.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name Stobielast S 031.00

(Contd. of page 4)

- Body protection:

Standard protective clothing. Chemical resistant safety-shoes or boots. If skin contact is possible, wear impenetrable protective clothing against this solvent.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties**- General Information****- Appearance:**

Form:	Fluid
Colour:	Not determined.
Smell:	Characteristic

- pH-value:	not applicable
- Melting point/freezing point:	Not determined
- Initial boiling point and boiling range:	Not determined

- Flash point:	>200 °C
-----------------------	---------

- Ignition temperature:	>400 °C
--------------------------------	---------

- Decomposition temperature:	> 260 °C
-------------------------------------	----------

- Self-inflammability:	Product is not selfigniting.
-------------------------------	------------------------------

- Explosive properties:	Product is not potentially explosive
--------------------------------	--------------------------------------

- Vapour pressure:	Not determined.
---------------------------	-----------------

- Density at 20 °C	1.08 g/cm ³
---------------------------	------------------------

- Solubility in / Miscibility with Water:	Insoluble
--	-----------

- Viscosity:	
dynamic at 20 °C:	3,500 mPas
kinematic:	Not determined.

- Solvent content:

Solids content:	100.0 %
------------------------	---------

- 9.2 Other information	No further relevant information available.
--------------------------------	--

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.3 Possibility of hazardous reactions

Exothermic reaction with amines and alcohols; reacts with water forming CO₂, in closed containers risk of bursting owing to increase of pressure.

- 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.

- 10.6 Hazardous decomposition products: No dangerous decomposition products known

— EUE —

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name Stobielast S 031.00

(Contd. of page 5)

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity

Harmful if inhaled.

- LD/LC50 values that are relevant for classification:

9016-87-9 diphenylmethanediisocyanate, isomers and homologues

Oral	LD50	>15,000 mg/kg (rat)
------	------	---------------------

64742-47-8 Distillates (petroleum), hydro- treated light

Oral	LD50	>8,000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>4,000 mg/kg (rbt)
--------	------	--------------------

- Specific symptoms in biological assay:

Long-term inhalation study of tech. diphenylmethane diisocyanate (PMDI) carried out using mechanically produced, inhalable PMDI aerosols. Aerodynamic diameter: 95 % below 5 µm Concentrations: 0,2; 1,0 and 6,0 mg/m³ - Animal groups: 120 rats in each (60 female, 60 male)

Results after clinical and histopathological examination of the animals: 0,2 mg aerosols/m³: No irritation of the respiratory tract or lungs – “no effect level” (NOEL).

1,0 mg aerosols/m³: Slight irritation of and inflammatory changes to the nose, respiratory tract and lungs. No lung tumours.

6,0 mg aerosols/m³: More severe irritation of and chronic inflammatory changes to the nose, respiratory tract and lungs. Accumulation of a yellow substance in the lungs could be observed. 8 benign (statistically increased) and 1 malignant (statistically insignificant) lung tumours were found.

The overall increased incidence of lung tumours only in the group which received the highest concentration is closely attributed to the chronic irritation of and the inflammatory changes to the respiratory organs and to the accumulation of the yellow substance in the lungs of the animals.

- Primary irritant effect:

- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- Additional toxicological information:

- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- Carcinogenicity

Suspected of causing cancer.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

— EUE —

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name Stobielast S 031.00

(Contd. of page 6)

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

64742-47-8 Distillates (petroleum), hydro- treated light

LC 50 / 96 h	>1,000 mg/l (Oncorhynchus mykiss)
EC 50 / 48 h	>1,000 mg/l (Daphnia magna)
EC 50 / 72 h	>1,000 mg/l (Pseudokirchneriella subcapitata)

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- Additional ecological information:

- General notes:

Not miscible with water. Reacts with water at the interface producing CO₂ and forming a solid and insoluble product with high melting point (polyurea). This reaction is accelerated by surfactants (e.g. detergents) or by water-soluble solvents. Previous experience shows that polyurea is inert and non-degradable.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

- 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Contaminated water to separate by separator and dispose off in line with administrative regulations.

- Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

- **European waste catalogue** 080501

- Uncleaned packagings:

- Recommendation:

Empty containers may only be disposed of after neutralising any product remaining on the walls of the containers with a mixture of isopropanol, ammonia and water and removal of the warning labels.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR/RID, IMDG, IATA	Void
------------------------------	------

- 14.2 UN proper shipping name

- ADR/RID	Void
------------------	------

- IMDG, IATA	Void
---------------------	------

(Contd. on page 8)

— EUE —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name Stobielast S 031.00

(Contd. of page 7)

- 14.3 Transport hazard class(es)	
- ADR/RID, IMDG, IATA	
- Class	Void
- 14.4 Packing group	
- ADR/RID, IMDG, IATA	Void
- 14.5 Environmental hazards:	
- Marine pollutant:	No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labelling:

diphenylmethanediisocyanate, isomeres and homologues

- Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name **Stobielast S 031.00**

(Contd. of page 8)

P312	Call a POISON CENTER/doctor if you feel unwell.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Directive 2012/18/EU**- Named dangerous substances - ANNEX I** None of the ingredients is listed.**- REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3**- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- REGULATION (EU) 2019/1148**- Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations**- Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

- Other regulations, limitations and prohibitive regulations**- Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- UFI market placements:**- Relevant phrases**

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

- Department issuing data specification sheet: see item 1: Informing department**- Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version number 12

Revision: 11.05.2022

Trade name Stobielast S 031.00

(Contd. of page 9)

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

— EUE —